## **AUTHORS' INDEX**

of volume 58, year 1979

Aarnoudse, J. G.: Complications of cerclage, 255

Abadir, A.; see Gal, 429

Abramovici, H.; see Thaler, 239

Adatto, R.; see Miodovnik, 565 Adlercreutz, H.; see Laatikainen, 95

Adoni, A.; see Miodovnik, 565

Agmon, M.; see Goldman, 415

Alapiessa, U.: Pharmacodynamic studies with a new progestational substance - Org 2969 - in combination

with ethinyloestradiol, suppl. 85
Allgen, L.-G.: Biological fate of methenamine in man, 287

Amsterdam, E.; see Levin, 371

Anderman, S.; see Jaschevatzky, 175

Andersen, A. N.: Treatment of hyperprolactinemic luteal insufficiency with bromocriptine, 379

Andersson, K.-E.; see Ulmsten, 115

Andersson, K.-E.: Side-effects of prostaglandin synthetase inhibitors, suppl. 87, p. 101

Andersson, K.-E.; see Ulmsten, 547

Andersson, K.-E.; see Wingerup, suppl. 84, p. 11

Andersson, K.-E.; see Wingerup, suppl. 84, p. 15

Aragon, G.; see Lunell, 443

Arffmann, E.; see Johansen, 265

Arocha-Pinango, C. L.: Is there a physiological intravascular coagulation in obstetrical cases?, 27

Aspegren, K.; see Tropé, 543

Assendorp, R.; see Alapiessa, suppl. 85

Backman, C.; see Sandström, suppl. 88, p. 49

Bakketeig, L.; see Bergsjø, 129

Barany, S.; see Dandenell, suppl 87, p. 95

Batra, S.: The regulation of oestradiol and progesterone concentrations in the female reproductive tissues, suppl. 82

Beazley, J. M.: Body weight in parous women: Is there any alteration between successive pregnancies?, 45

Ber-Efraim, S.; see Halbrecht, 411

Bengtsson, R.; see Magno, 81

Benumof, J. L.; see Bryson, 497

Berg, A. A:son; see Weiner, suppl. 88, p. 65

Bergan, T.; see Onsrud, 401

Bergqvist, A.: Acute deep vein thrombosis (DVT) after cesarean section, 473

Bergqvist, D.; see Bergqvist, A., 473

Bergsjø, P.: Socioeconomic implications of dysmenorrhea, suppl. 87, p. 67

Bergsjø, P.: Duration of labour with spontaneous onset, 129

Bergström, S.: Amniotic fluid cell exfoliation in early human pregnancy, 353

Beyth, Y.; see Sadovsky, 313

Bieglmayer, Ch.; see Spona, suppl. 88, p. 7

Bille-Brahe, N. E.: Red cell 2,3-diphosphoglycerate in pregnancy, 19

Bompiani, A.; see Cittadini, 393

Brandes, J. M.; see Thaler, 239

Bremme, K.; see Lundström, 231

Bremme, K.; see Bygdeman, suppl. 87, p. 33

Bremme, K.: Prophylactic salpingo-oophorectomy in

cancer of the cervix, 183

Briel, R. C.: Platelet function, coagulation and fibrinolysis during termination of missed abortion and missed labor by  $PGF_{2\alpha}$  and oxytocin, 361

Brohult, A.: Effect of alkoxyglycerols on the frequency of fistulas following radiation therapy for carcinoma of the uterine cervix, 203

Brohult, J.; see Brohult, A., 203

Brohult, S.; see Brohult, A., 203

Brook, I.; see Levin, 371

Bryson, T. K.: Uterine rupture caused by midtrimester saline abortion, 497

Bukovsky, I.; see Weinraub, 217 Bunne, G.; see Öbrink, 91

Bunne, G.; see Öbrink, 123

Bygdeman, M.: Effects of the prostaglandins on the uterus. Prostaglandins and uterine contractility, suppl. 87, p. 33

Bäckström, T.: Plasma progesterone concentrations after administration via intravaginal rings, 211

Bøggild-Madsen, N. B.; see Møller, 481

Canales, E. S.; see Guzmán, 53

Carelli, G.: see Cittadini, 393

Carlström, K.; see Lunell, suppl. 88, p. 17

Carlström, K.: Serum levels of total dehydroepiandrosterone and total estrone in postmenopausal women with special regard to carcinoma of the uterine corpus, 179

Caspi, E.; see Weinraub, 217

Castaldo, F.; see Cittadini, 393 Cavalli-Björkman, K.; see Jacobson, suppl. 87, p. 73

Chan, W. Y.; see Fuchs, suppl. 87, p. 91

Choudry, R.; see Gal, 429

Cittadini, A.: Water and ion metabolism in placenta, II.: Water compartments and electrolytes in slices of rabbit placenta, at different periods of gestation, incubated at  $0-1^{\circ}\text{C}$ , 393

Collen, J.; see Öbrink, 123

Cordesius, E.; see Gustavii, 409

Cova, A.; see Arocha-Pinango, 27

Cullberg, G.: Some adverse effects of copper-IUD, 87

Dahlström, J.-A.; see Sandström, suppl. 88, p. 49

Dalaker, K.: Delayed reproductive complications after induced abortion, 491

Damber, M.-G.; see Carlström, 179

Damber, M.-G.: A new and sensitive method to quantify

and compare the biological potency of various estrogens in man, 527

Dandenell, L.-O.: Clinical experience of naproxen in the treatment of primary dysmenorrhea, suppl. 87, p. 95

Date, J.; see Rolschau, 343

Dawood, M. Y.; see Fuchs, suppl. 87, p. 91

De Gezelle, H.: Puerperal lactation suppression and prolactin, 469

De Grandi, P.: Abscess formation of a Gartner's duct cyst with cervical communication in a case of bicornuate uterus associated with an ipsilateral renal agenesis, 503

Delcourt, A.; see Naeije, 531 Dhont, M.; see De Gezelle, 469

Dollberg, L.; see Miodovnik, 565

Dottori, O.; see Matouskova, suppl. 83, p. 9

Drogendijk, A. C.; see Meir van, 221

Düsterberg, B.: Plasma levels of active ingredients after single and repeated administration of a new oral contraceptive containing 2 mg of cyproterone acetate and 50  $\mu$ g of ethinyl estradiol (Diane<sup>R</sup>) to five young women, suppl. 88, p. 27

Dutt, T. P.; see Gordon-Wright, 23

Ehrström, Ch.: Fetal movement monitoring in normal and high-risk pregnancy, suppl. 80

Eikhom, S. N.; see Bergsjø, 129

Einhorn, N.; see Bremme, 183

Elder, M. G.; see Gordon-Wright, 23

Elmén, H.; see Matouskova, suppl. 83, p. 43

Eneroth, P.; see Lundström, 231 Erkkola, R.; see Lammintausta, 447

Eskildsen, P. C.; see Andersen, 379

Falck Larsen, J.; see Hertz, 365

Farina, J. R.; see Bryson, 497

Fattah, M. M. A.; see Sammour, 535

Fedor-Freybergh, P.; see Öbrink, 91

Feingold, M.: The perioxidase content and the antibacterial activity of the amniotic fluid, 49

Fianu, S.: External cephalic version in the management of breech presentation with special reference to placenta location, 209

Fianu, S.: Minimal brain dysfunction in children born in breech presentation, 295

Finnström, O.; see Tylleskär, 513

Fischer, E. L.; see Huggins, 65

Forssman, L.; see Matouskova, suppl. 83, p. 9

Fredholm, B. B.; see Lunell, 443

Fu Wang, C.: Pregnancy following treatment with human gonadotropins in primary unexplained infertility, 141

Fuchs, F.: Suppression of menstrual prostaglandins and relief of dysmenorrhea with ibuprofen, suppl. 87, p. 91

Fuchs, T.; see Hammarström, 417

Furuhjelm, M.: Present status of estrogen treatment for prevention of postmenopausal osteoporosis, suppl. 88, p. 97

Furuhjelm, M.; see Carlström, 179

Gal, D.: Segmental epidural analgesia for labor and delivery, 429

Gambrell, R. D.: The role of hormones in the etiology of breast and endometrial cancer, suppl. 88, p. 73

Garcia, C.-R.; see Huggins, 65 Gemzell, C.; see Fu Wang, 141

Gennser, G.; see Marsál, 335

Gennser, G.; see Marsál, 197

Gennser, G.; see Grennert, 3

Gillespie, A.; see Bygdeman, suppl. 87, p. 33

Gjønnæss, H.; see Onsrud, 401

Goldman, J. A.: Arteriography and chemotherapy in localized trophoblastic disease, by means of local-(pelvic-) intraarterial infusion, 415

Gordon-Wright, A. P.: The routine use of oral prostaglandin E<sub>2</sub> tablets for induction or augmentation of labor, 23

Granström, E.: Prostaglandin chemistry, suppl. 87, p. 13
Gréen, K.: Determination of prostaglandins in body fluids and tissues, suppl. 87, p. 15

Gréen, K.; see Lundström, suppl. 87, p. 51

Grennert, L.: On improved outcome of twin pregnancies, 3

Grünstein, S.; see Jaschevatzky, 175

Grönroos, M.; see Punnonen, 101

Grönroos, M.; see Pulkkinen, 569

Grönroos, M.: Treatment of vulval epithelial lesions by pulsed high-frequency therapy, 187

Grönroos, M.; see Johansson, 213

Grönroos, M.: Pregnancy and delivery after conization of the cervix, 477

Grönroos, M; see Liukko, 275

Gupta, I. M.; see Gupta, S, 507

Gupta, S.: In-situ carcinoma of the uterine cervix showing superficial endometrial spread, 507

Gustafson, A.; see Silfverstolpe, suppl. 88, p. 89

Gustavii, B.: Fetoscopy, 409

Guzmán, V.: Improvement of defective lactation by using oral metoclopramide, 53

Hajj, S.; see Karam, 73

Halbrecht, I.: Mixed wife-husband leukocyte migration inhibition test after normal pregnancy, 411

Hallböök, T.; see Bergqvist, 473

Haller, W. S.; see Varma, 439

Hammarström, L.: The immunodepressive effect of human glucoproteins and their possible role in the nonrejection process during pregnancy, 417

Hansen, J. T.; see Møller, 481

Hansen, R.; see Nielsen, 495

Hanson, B.; see Matouskova, suppl 83, p. 15

Hanson, B.; see Matouskova, suppl. 83, p. 31

Hanson, B.; see Matouskova, suppl. 83, p. 43 Hanssen, K. F.; see Kulseng-Hanssen, 245

Hasch, E.: Prediction of the time of delivery by means of ultrasonic scanning between the 20th and 30th weeks of pregnancy, 457

Hashiba, N.; see Nakano, 59

Hedenskog, S.; see Tylleskär, 513

Heine, M. W.; see Varma, 439

Helmius, G.; see Weiner, suppl. 88, p. 65

Henriksen, H. M.: The cryosurgical treatment of intraepithelial neoplasia, 271

Henzl, M. R.: Naproxen and naproxen sodium in dysmenorrhea: Development from in vitro inhibition of prostaglandin synthesis to suppression of uterine contractions in women and demonstration of clinical efficacy, suppl. 87, p. 105

Hertz, J. B.: Estradiol, estriol and human placental lactogen in serum in threatened abortion, 365

Hirvonen, E.; see Alapiessa, suppl. 85

Hjelmkvist, M.; see Öbrink, 91 Hollmén, A.; see Jouppila, 249

Hollmén, A.: see Jouppila, 135

Holmberg, G.; see Allgén, 287

Homma, A.; see Nielsen, 309

Honoré, L. H.: Menorrhagia, diffuse myometrial hypertrophy and the intrauterine contraceptive device, 283

Hook, E. B.; see Little, 15

Hümpel, M.; see Düsterberg, suppl. 88, p. 27

Huggins, G. R.: Emotional distress in morning-after pill patients, 65

Huisjes, H. J.; see Aarnoudse, 255

Hulkko, S.; see Alapiessa, suppl. 85

Ibrahim, F. K.; see Sammour, 535

Ikonen, S.; see Lauslahti, 163

Ingerslev, M.: Failure of fusion between an upper and a lower segment of the vagina, 215

Insler, V.; see Feingold, 49

Insler, V.; see Levin, 371

Ishiguro, T.: Neutralizing antibodies against herpes simplex virus in maternal and umbilical cord serum, 413

Izu, A.; see Henzl, suppl. 87, p. 105 Izu, A.; see Sande, suppl. 87, p. 93

Jacobson, J.: Prostaglandin synthetase inhibitors and dysmenorrhea - A survey and personal clinical experience, suppl. 87, p. 73

Janbu, T.: Effect of acetylsalicylic acid, paracetamol and placebo on pain and blood loss in dysmenorrheic women, suppl. 87, p. 81

Janecek, P.; see De Grandi, 503

Jaschevatzky, O. E.: The treatment of postmenopausal syndrome by monthly oral doses of Quinestrol, 175

Jenssen, H.: Fetal systolic time intervals in late pregnancy effect of atropine, 519

Jenssen, H.; see Nesheim, 41

Joelsson, I.: see Carlström, 179

Joelsson, I.: The effect of inhibitors of prostaglandin synthesis in primary dysmenorrhea studied with hysterometry, suppl. 87, p. 45

Joelsson, I.: Determination of tonicity in the nonpregnant human uterus in vivo, 555

Joelsson, I.; see Fianu, 295 Joelsson, I.; see Brohult, 203

Johansen, P.: Evaluation of smears obtained by cervical scraping and an endocervical swab in the diagnosis of neoplastic disease of the uterine cervix, 265

Johansson, E. D. B.; see Weiner, suppl. 88, p. 23

Johansson, I.; see Weiner, suppl. 88, p. 65

Johansson, R.: Oestrogen receptors in dysplastic and malignant vulval tissue, 213

Johnsen, S. G.: see Hertz, 365

Johnsson, J.-E.: Recurrences and metastases in carcinoma of the uterine body correlated to the size and localization of the primary tumor, 405

Jouppila, P.: Effect of induction of general anesthesia for cesarean section on intervillous blood flow, 249

Jouppila, P.; see Jouppila, R, 135

Joppuila, P.: Vaginal bleeding in the last two trimesters of pregnancy. A clinical and ultrasonic study, 461

Jouppila, R.; see Jouppila, P.; 249

Jouppila, R.: Segmental epidural analgesia in labour: Related to the progress of labour, fetal malposition and instrumental delivery, 135 Järvi, K.; see Alapiessa, suppl. 85

Järvinen, P. A.; see Ylöstalo, 279

Kajanoja, P.: Naproxen and indomethacin in the treatment of primary dysmenorrhea, suppl. 87, p. 87

Kampf, D.; see Jaschevatzky, 175

Karam, K.: Hyperthecosis syndrome, 73

Karinen, J.-M.: see Jouppila, 135

Karjalainen, O.; see Mandelin, 169

Kauppila, A.; see Ylikorkala, 453

Kauppila, E.; see Ylöstalo, 279

Kidess, E.; see Briel, 361

Kilkku, P.; see Liukko, 275

Kilkku, P.; see Grönroos, 477 Kirschner, R.: Pregnancy in a non-con

Kirschner, R.: Pregnancy in a non-communicating, rudimentary uterine horn. A reason for failed therapeutic second trimester abortion, 499

Kirstein-Pedersen, A.; see Ulmsten, suppl. 84, p. 19

Kjeldsen, J.: Hemodynamic investigations during labour and delivery, suppl. 89

Knoth, M.; see Andersen, 379

Koller, O.: Fetal growth retardation associated with inadequate haemodilution in otherwise uncomplicated pregnancy, 9

Komlos, L.; see Halbrecht, 411

Korhonen, M.; see Alapiessa, suppl. 85

Kouvonen, I.; see Punnonen, 389

Kuovonen, I.; see Johansson, 213

Kristoffersen, E.; see Nielsen, 309

Kristoffersen, K.; see Rolschau, 343 Kuikka, J.; see Jouppila, 249

Kullander, S.; see Grennert, 3

Kullander, S.; see Tropé, 543

Kullander, S.: Bromocriptine treatment of the premenstrual syndrome, 375

Kulseng-Hanssen, S.: Serum prolactin and thyroid stimulating hormone levels following thyreotropin releasing hormone stimulation in preeclamptic patients, 245

Kunz, S.; see Briel, 361

Kurjak, A.: Ultrasound diagnosis of fetal abnormalities in multiple pregnancy, 153

Kuusi, T.; see Tikkanen, suppl. 88, p. 83

Käär, K.; see Alapiessa, suppl. 85

Laatikainen, T.: Plasma medroxyprogesterone acetate levels following intramuscular or oral administration in patients with endometrial adenocarcinoma, 95

Lachnit-Fixson, U.: The development and evaluation of an ovulation inhibitor (Diane<sup>R</sup>) containing an antiandrogen, suppl. 88 p. 33

Lalos, O.; see Joelsson, suppl. 87, p. 45

Lalos, O.; see Joelsson, 555

Lalos, O.; see Dandenell, suppl. 87, p. 95

Lambercy, J. M.; see De Grandi, 503

Lammintausta, R.: Effect of long-term salbutamol treatment on renin-aldosterone system in twin pregnancy, 447

Lange, A. P.; see Hasch, 457

Langer, R.; see Weinraub, 217

Larsen, J. F.; see Andersen, 379

Larsen, T.; see Nielsen, 495

Larsson, B.; see Cullberg, 87

Larsson-Cohn, U.: Effects of three different combinations

of ethinyl estradiol and levonorgestrel on plasma lipids and high density lipoproteins, suppl. 88, p. 57

Latin, V.; see Kurjak, 153

 Laudański, T.: Hormonal factors in the regulation of myometrial activity: An in vivo study, suppl 91
 Lauersen, N. H.: Investigation of prostaglandins for

abortion, suppl. 81

Laufer, N.; see Sadovsky, 313

Lauslahti, K.: Placenta as an indicator of fetal postnatal prognosis, 163

Lauslahti, K.; see Alapiessa, suppl. 85

Lebech, P. E.; see Ottesen, 423

Leeuwen van, M.; see Wolfs, suppl. 90

Lehtovirta, P.; see Paavonen, 301

Leijon, I.; see Tylleskär, 513

Levin, S.; see Feingold, 49

Levin, S.: The effect of missed abortion and spontaneous abortion on the fate of subsequent pregnancies, 371

Lichtenberg, S. M.; see Dalaker, 491

Linares, J.; see Arocha-Pinango, 27

Lindbæk, E.; see Nesheim, 41

Lindberg, B. S.: Maternal sepsis, uterine rupture and coagulopathy complicating cervical cerclage, 317

Lindström, K.; see Ulmsten, 547

Lisciak, J.; see Dandenell, suppl. 87, p. 95

Little, R. E.: Maternal alcohol and tobacco consumption and their association with nausea and vomiting during pregnancy, 15

Liukko, P.; see Grönroos, 187

Liukko, P.; see Grönroos, 477

Liukko, P.: Methods for evaluating the intrauterine location of carcinoma, 275

Liukko, P.; see Alapiessa, suppl. 85

Lumiala, I.; see Alapiessa, suppl. 85

Lundström, V.: Serum beta-human chorionic gonadotrophin levels in the early diagnosis of ectopic pregnancy, 231

Lundström, V.; see Bygdeman, suppl. 87, p. 33

Lundström, V.; see Jacobson, suppl. 87, p. 73

Lundström, V.: Endogenous prostaglandins in dysmenorrhea and the effect of prostaglandin synthetase inhibitors (PGSI) on uterine contractility, suppl. 87, p. 51

Lunell, N.-O.: Circulatory and metabolic effects of acute beta<sub>1</sub>-blockade in severe pre-eclampsia, 443

Lunell, N.-O.: Ovulation inhibition with a combined oral contraceptive containing 20 μg ethinyl estradiol and 250 μg levonoregestrel, suppl. 88, p.17

Lunell, N.-O.; see Carlström, 179

Lykkesfeldt, G.: A comparison of three methods for inducing labor: Oral prostaglandin E<sub>2</sub>, buccal desaminooxytocin, intravenous oxytocin, 321

Löfberg, L.; see Gustavii, 409

Löfgren, O.; see Marsál, 335

Löfgren, O.; see Marsál, 197

Löfstrand, T.; see Kirschner, 499

Løkken, P.; see Janbu, suppl. 87, p. 81

Lövgren, T.; see Punnonen, 389

Lövgren, T.; see Johansson, 213

Magno, R.: Acid-base balance during laparoscopy, 81

Maltau, J. M.: Effects of betamethasone on plasma levels of estriol, cortisol and HCS in late pregnancy, 235

Mandelin, M.: Menstrual regulation as a method for early termination of pregnancy, 169 Marboe, C. C.; see Naeye, 37

Mark, J.; see Kirschner, 499

Marsál, K.: Fetal breathing movements and maternal exercise. 197

Marsál, K.: Effects on fetal breathing movements of maternal challenges: Cross-over study on dynamic work, static work, passive movements, hyperventilation and hyperoxygenation, 335

Martinez, P.; see Arocha-Pinango, 27

Matouskova, A.: Epidural analagesia: Continuous miniinfusion of bupivacaine into the epidural space during labour, suppl. 83

Matouskova, A.: An improved method of epidural analgesia with reduced instrumental delivery rate,

suppl. 83, p. 9

Matouskova, A.: Continuous mini-infusion of bupivacaine into the epidural space during labor. Part I.: Radiographic visualization of the epidural catheters, suppl. 83, p. 15

Matouskova, A.: Continuous mini-infusion of bupivacaine into the epidural space during labor. Part II.: Blood concentration of bupivacaine, suppl. 83, p. 31

Matouskova, A.: Continuous mini-infusion of bupivacaine into the epidural space during labor. Part III.: A clinical study of 225 parturients, suppl. 83, p. 43

Medegård, A.; see Magno, 81

Meir van, J. M.: Colposcopy in a case of suspected genital herpes infection in early pregnancy, 221

Meirik, O.: Demographic techniques in describing contraceptive use applied on the situation in Sweden, suppl. 88, p. 61

Melsen van, A.; see Naeije, 531

Micic, S.; see Andersen, 379

Miodovnik, M.: Vulvar eosinophilic granuloma, 565

Moe, N.; see Maltau, 235

thiopental anesthesia, 481

Mommsen, S.; see Møller, 481
Møller, B. R.: Effect of althesin anesthesia on blood loss during therapeutic abortion. A comparison with local and

Naeije, R.: Enhancement of the amylase-creatinine ratio in pregnancy, 531

Naeye, R. L.: Perinatal death due to abruptio placentae in an African city, 37

Nakano, R.: Diagnostic evaluation of progesterone, 59

Nesheim, B.-I.: Neurobehavioral response of infants after paracervical block during labour, 41

Nesheim, B.-I.: see Janbu, suppl. 87, p. 81

Neuray, F.; see Naeije, 531

Newton, J. R.; see Reading, 105

Nielsen, J.; see Andersen, 379

Nielsen, J.: X/X translocation and Turner's syndrome in a women with climacterium praecox, 309

Nielsen, N. C.: Heat induction in copper-bearing IUD's

during short-wave diathermy, 495 Nieminen, U.; see Laatikainen, 95

Nikkilä, E. A.; see Tikkanen, suppl 88, p. 83

Nillius, S. J.; see Weiner, suppl. 88, p. 23

Nillius, S. J.; see Wiqvist, suppl. 87

Nilsson, B.; see Dandenell, suppl 87, p. 95

Nilsson, B.; see Wiqvist, suppl. 87

Nilsson, B.; see Jacobson, suppl. 87, p. 73

Norbeck, M.; see Jacobson, suppl. 87, p. 73

Nygren, K. G.; see Meirik, suppl. 88, p. 61

Nygård, I.; see Lundström, 231

Nyholm, H.: Serum testosterone, FSH/LH and urinary excretion of estrogens and corticoids during treatment with an injectable, longacting estrogen-DHEA preparation, 385

O'Herlihy, C.: Early successful pregnancy following tuberculous endometritis, 57

Obel, E.: Pregnancy complications following legally induced abortion with special reference to abortion technique, 147

Obel, E.; see Weber, 259

Obel, E.: Fertility following legally induced abortion, 539

Obel, E. B.; see Weber, 347

Obel, E. B.: Pregnancy complications following legally induced abortion, 485

Olcott, A.; see Møller, 481

Ollanketo, M.-L.; see Ylikorkala, 453

Onsrud, M.: Amoxycillin absorption and penetration in pelvic inflammatory disease, 401

Osler, M.: Standard treatment of dysmenorrhea with special reference to treatment with spasmolytics and hormones, suppl. 87, p. 69

Osler, M.; see Lykkesfeldt, 321

Ottesen, B.: Plasma progesterone, serum estriol and plasma HPL determinations during the last trimester to detect changes before spontaneous labor, 423

Ozaki, Y.; see Ishiguro, 413

Paavonen, J. A.: Infertility and cervical chlamydia trachomatis infection, 301

Pallesen, G.; see Johansen, 265

Palti, Z.; see Miodovnik, 565

Paparella, P.; see Cittadini, 393

Parewyck, W.; see De Gezelle, 469

Patek, E.: Quinacrine hydrochloride, 561

Paterson, M. E. L.: The aetiology and outcome of abruptio placentae, 31

Peleg, D.; see Goldman, 415

Persson, B.; see Allgén, 287

Persson, B.; see Lunell, 443 Persson, P.-H.; see Ulmsten, 547

Persson, P.-H.; see Grennert, 3

Philipson, A.: Plasma and urine levels produced by an oral dose of ampicillin 0.5 g administered to women taking oral contraceptives, 69

Pickles, V. R.: Prostaglandins and dysmenorrhea: Historical survey, suppl. 87, p. 7

Pirker, R.; see Spona, suppl. 88, p. 7

Plesner, R.; see Nyholm, 385

Pora, O.; see Alapiessa, suppl. 85

Pulkkinen, M. O.: Bed rest did not prevent prematurity in twins because the etiology lies in the stretch and poor progesteronegenesis, 569

Pulkkinen, M. O.: Suppression of uterine activity by prostaglandin synthetase inhibitors, suppl 87, p. 39

Punnonen, R.; see Grönroos, 187

Punnonen, R.: Uterine and ovarian estrogen receptor levels in climacteric women, 389

Punnonen, R.; see Grönroos, 477

Punnonen, R.; see Liukko, 275

Punnonen, R.: Squamos cell carcinoma in situ from the uterine cervix to the distal end of the fallopian tube, 101

Punnonen, R.; see Alapiessa, suppl. 85

Railsback, K.; see Varma, 439

Ramadan, M. A.; see Sammour, 535

Rantakylä, P.; see Ylöstalo, 279

Rauramo, L.; see Grönroos, 187 Rauramo, L.; see Punnonen, 389

Reading, A. E.: A card sort method for pain assessment in

gynaecology: A multidimensional approach, 105 Reed, C.; see Reading, 105

Rhen, K.; see Alapiessa, suppl. 85

Rickels, K.; see Huggins, 65

Rolschau, J.: Folic acid supplement and intrauterine growth, 343

Romor, R.; see Cittadini, 393

Romslo, I.; see Sagen, 305

Rosenfeld, D. L.; see Huggins, 65

Row, A. D.; see Varma, 439

Rubinstein, E.: Initiating events and promoting agents in cervical neoplasia, viral epithelial lesions, 509

Ruokonen, A.; see Alapiessa, suppl. 85

Rydén, G.; see Tylleskär, 513

Rørth, M; see Bille-Brahe, 19

Rösmark, U.; see Matouskova, suppl. 83, p. 15

Sadovsky, E.: The role of fetal movements assessment in cases of severe Rh immunized patients, 313

Sagen, N.; see Koller, 9

Sagen, N.: Plasma estriol, progesterone, cortisol, placental lactogen and alpha-fetoprotein in a pregnancy with an anencephalic fetus followed from the seventh week till term, 305

Saikku, P.; see Paavonen, 301

Salmi, T.: Risk factors in endometrial carcinoma with special reference to the use of estrogens, suppl. 86

Salvesen, T.; see Sande, suppl. 87, p. 93

Sammour, M. B.: Nucleic acids and protein changes in normal and pre-eclamptic placentae, 535

Samsio, G.; see Silfverstolpe, suppl. 88, p. 89 Sande, H. A.: Treating dysmenorrhea with anti-

inflammatory agents: A double blind trial with naproxen sodium, suppl. 87, p. 93

Sandström, B.; see Dandenell, suppl. 87, p. 95

Sandström, B.; see Damber, 527

Sandström, B.: Adjustments of circulation including blood pressure to orthostatic reaction and physical exercise during application of a low estrogen dose steroid oral contraceptive, suppl. 88, p. 49

Saranen, M.: see Alapiessa, suppl. 85

Schneider, D.; see Weinraub, 217

Schneider, W. H. F.; see Spona, suppl. 88, p. 7

Schoultz, B. von; see Carlström, 179

Schoultz, B. von; see Damber, 527

Schoultz, B. von; see Bäckström, 211

Schroeder, R.; see Spona, suppl. 88, p. 7

Serup, J.: Vaginal fine-needle and large-needle aspiration biopsy in large pelvic tumors indicating advanced ovarian carcinoma: A new technique, 125

Shalit, A.; see Jaschevatzky, 175

Shapiro, G.; see Goldman, 415

Silfverstople, G.: Lipid metabolic studies in oophorectomized women. Effects of three different progestogens, suppl. 88, p. 89

Sjöberg, N.-O.: Dysmenorrhea and uterine neurotransmitters, suppl. 87, p. 57 Skjaeraasen, J.: Amniotic fluid phosphatidylinositol and phosphatidylglycerol. I. Normal pregnancies, 225

Skjaeraasen, J.: Amniotic fluid phosphatidylinositol and phosphatidylglycerol II. Diabetic and preeclamptic pregnancies, 433

Skjaeraasen, J.: Amniotic fluid phospholipid concentrations in pregnancy with pre-eclampsia and/or intrauterine growth-retardation of the fetus, 191

Smedby, B.; see Meirik, suppl. 88, p. 61

Smith, C. I. E.; see Hammarström, 417 Spona, J.: Ovulation inhibition with different doses of

Spona, J.: Ovulation inhibition with different doses of levonorgesetrel and other progestogens. Clinical and experimental investigations, suppl. 88, p. 7 Stenberg, P.; see Ulmsten, suppl. 84, p. 19

Stigbrand, T.; see Damber, 527

Stokke, K. T.; see Maltau, 235

Storm-Mathisen, I.; see Nesheim, 41 Stray-Pedersen, S.; see Skjaeraasen, 225

Stray-Pedersen, S.; see Skjaeraasen, 433

Strömberg, P.; see Gustavii, 409

Støa, K. F.; see Sagen, 305 Sundvall, M.; see Lundström, 231

Svanberg, L.; see Kullander, 375

Svanborg, A.; see Silfverstolpe, suppl. 88, p. 89

Svanborg, K.; see Lundström, suppl. 87, p. 51 Svenstrup, B.; see Hertz, 365

Svenstrup, B.; see Andersen, 379

Swinhoe, J. R.; see Beazley, 45 Sörbo, B.; see Allgén, 287

Sørensen, T.; see Hasch, 457

Tafari, N.; see Naeye, 37

Tancer, M. L.; see Gal, 429

Tarkkila, T.; see Alapiessa, suppl. 85 Terranova, T.; see Cittadini, 393

Thaler, I.: Serum and amniotic fluid heat labile alkaline phosphatase and amniotransferases in association with meconium stained liquor, 239

Thiery, M.; see De Gezelle, 469

Thorbert, G.: Regional changes in structure and function of adrenergic nerves in guinea-pig uterus during pregnancy, suppl. 79

Tikkanen, M. J.: Treatment of post-menopausal hypercholesterolaemia with estradiol, suppl. 88, p. 83

Tiwari, P. V.; see Gupta, S., 507

Tjernberg, B.; see Öbrink, 123 Toivonen, J.; see Bäckström, 211

Tojo, S.; see Nakano, 59

Torjesen, P. A.; see Kulseng-Hanssen, 245

Toscano, G.; see Guzmán, 53 Tronstad, S.-E.; see Magno, 81

Tropé, C.: Heterogeneous response of disseminated human ovarian cancer to cytostatics in vitro, 543

Tylleskär, J.: Spontaneous labor and elective induction -A prospective study, 513

Ulmsten, U.: Multichannel intrauterine pressure recording by means of microtransducers, 115

Ulmsten, U.: Determination of myometrial tension during labor by combined microtransducer IUP-recording and ultrasonic examination of the uterine cavity, 547

Ulmsten, U.: Cervical ripening induced by prostaglandin  ${\rm E}_2$  in viscous gel, suppl. 84

Ulmsten, U.: Aspects of the ripening of the cervix and

induction of labor by intracervical application of PGE<sub>2</sub> in viscous gel, suppl. 84, p. 5

Ulmsten, U.; see Wingerup, suppl. 84, p. 11 Ulmsten, U.; see Wingerup, suppl. 84, p. 15

Ulmsten, U.; A new gel for intracervical application of prostaglandin E<sub>2</sub>, suppl. 84, p. 19

Ulstein, M.; see Koller, 9 Ulstein, M.; see Sagen, 305

Ung, K .- A .; see Gal, 429

Vaajalahti, P.; see Punnonen, 101

Václavincová, V.; see Fianu, 209

Varma, K.: Ratio of amniotic fluid cortisol and maternal serum cortisol (AFC/MSC) as an index of fetal lung maturity, 439

Varma, S. K.; see Varma, K., 439

Vartiainen, E.; see Tikkanen, suppl. 88, p. 83

Vaula, D.; see Koller, 9

Vesanto, T.; see Kajanoja, suppl. 87, p. 87

Vesterinen, E.; see Paavonen, 301

Vestersgaard-Andersen, T. B.; see Møller, 481

Victorin, L.; see Matouskova, suppl. 83, p. 9

Viinikka, L.; see Alapiessa, suppl. 85

Virkkunen, P.; see Alapiessa, suppl. 85

Vugt van, P. J. H.: The protrusions from the cervical canal at the scar of a previous cesarean section, 327

Wallentin, L.; see Larsson-Cohn, suppl. 88, p. 57

Washio, M.; see Nakano, 59

Weber, T.: Pregnancy complications following conization of the uterine cervix (I), 259

Weber, T.: Pregnancy complications following conization of the uterine cervix (II), 347

Weijers, M.; see Alapiessa, suppl. 85,

Weiner, E.: Pituitary responsiveness to luteinizing hormone-releasing during treatment with subdermal Dnorgestrel implants in women, suppl. 88, p. 23

Weiner, E.: Contraception for teenage girls. Combination pill or IUD?, suppl. 88, p. 65

Weinraub, Z.: Ultrasonographic diagnosis of fetal ascites in a twin pregnancy, 217

Wendt, H.; see Düsterberg, suppl 88, p. 27

Whittle, B. J. R.: Prostaglandin synthetase inhibitors. Drugs which affect arachidonic acid metabolism, suppl. 87, p. 21

Wide, L.; see Weiner, suppl. 88, p. 23 Widholm, O.; see Wiqvist, suppl. 87

Widholm, O.: Dysmenorrhea during adolescence, suppl. 87, p. 61

Widholm, O.; see Alapiessa, suppl. 85

Wielenga, G.; see Meir van, 221

Wingerup, L.; see Ulmsten, suppl. 84

Wingerup, L.: Ripening of the cervix and induction of labor in patients at term by single intracervical application of prostaglandin E<sub>2</sub> in viscous gel, suppl. 84, p. 11

Wingerup, L.: Ripening of the cervix by intracervical application of PGE<sub>2</sub> gel before termination of pregnancy with dilatation and evacuation, suppl. 84, p. 15

Wingerup, L.; see Ulmsten, suppl. 84, p. 19

Wiqvist, N.: Dysmenorrhea and prostaglandins: Proceedings of an international symposium in Helsinki November 16-17, 1978, suppl. 87

Wiqvist, N.: Dysmenorrhea and prostaglandins, suppl. 87, p. 5

Wladimiroff, J. W.; see Meir van, 221

Wolfs, G. M. J. A.: Electromyographic observations on the human uterus during labour, suppl. 90

Ylikorkala, O.: Intramuscular ACTH or placebo in the treatment of hyperemesis gravidarum, 453

Ylöstalo, P.: Intrauterine progesterone contraceptive system as an alternative in cases where conventional IUD's are unsuitable, 279

Zador, G.; see Furuhjelm, suppl. 88, p. 97 Zador, G.; see Sandström, suppl. 88, p. 49

Zador, G.; see Sandstrom, suppl. 86, p. 49
Zador, G.: Fertility regulation using "triphasic" administration of ethinyl estradiol and levonorgestrel in comparison with the 30 plus 150 µg fixed dose regime,

suppl. 88, p. 43
Zador, G.: New leads on hormonal contraception and hormone therapy of the climacteric and menopause, suppl. 88

Zador, G.; see Lunell, suppl. 88, p. 17

Zador, G.; see Larsson-Cohn, suppl. 88, p. 57

Zárate, A.; see Guzmán, 53

Zinder, O.; see Thaler, 239

Åkerlund, M.: Pathophysiology of dysmenorrhea, suppl. 87, p. 27

Åstedt, B.; see Tropé, 543

Åström, H.; see Lunell, 443

Öbrink, A.: Mental factors influencing recurrence of stress incontinence, 91

Öbrink, A.: Estrogen regimen in women with endometrial carcinoma at Radiumhemmet 1974-77, 123

Økland, G.; see Dalaker, 491

Ölund, A.: The effect of indomethacin on the instillationabortion interval in rivanol-induced mid-trimester abortion,121